SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

AFJ GREASE

of the mixture

Registration number

Synonyms None.

 SDS number
 1030-T20960-2

 Product code
 AFJ+70, AFJ+400

 Issue date
 13-September-2012

Version number 04

Revision date 18-September-2019 Supersedes date 04-December-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial lubricating grease (Package size 70gr and 400gr)

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

THK Co.,LTD

HEAD OFFICE: 2-12-10, Shibaura, Minato-ku, Tokyo 108-8506 Japan THK GmbH: Kaiserswerther Strasse 115, D-40880 Ratingen, Germany

Telephone +49-(0)2102-7425-555 (THK GmbH)

E-mail info-msds@thk.eu (THK GmbH), thk022@thk.co.jp (THK Co., LTD)

1.4. Emergency telephone

number

+49-(0) 2102-7425-222 at workday 8 am - 5 pm (THK GmbH)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Hazard summary Risk of serious damage to eyes. Inhalation of oil mist or vapours formed during heating of the

product will irritate the respiratory system and provoke coughing. Prolonged or repeated skin

contact may cause drying, cracking, or irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Zinc bis(dinonylnaphthalenesulphonate)

Hazard pictograms



Signal word Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.

AFJ GREASE SDS UK

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

This mixture does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. 2.3. Other hazards

Prolonged and repeated contact with used grease may cause serious skin diseases.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy paraffinic	75-85	Proprietary 265-157-1	-	649-467-00-8	
Classification: -					L
Zinc bis(dinonylnaphthalenesulphonate)	2-5	Proprietary 248-778-2	-	-	
Classification: Skin Irrit. 2;	H315, Eye	Dam. 1;H318			
3,3'-Dioctadecyl -1,1'-methylenebis (4,1-phenylene) diurea	1-5	Proprietary 406-690-3	-	616-095-00-2	
Classification: Aquatic Chro	onic 4;H41	3			
N,N" -(Methylenedi-4,1-phenylene) bis[N'-octylurea]	1-5	Proprietary 451-060-3	-	616-204-00-3	
Classification: Aquatic Chro	onic 4;H41	3			

List of abbreviations and symbols that may be used above

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

The petroleum substance in the product – Distillates (petroleum), hydrotreated heavy paraffinic - contains less than 3 % DMSO extract as measured by IP 346.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information First aid personnel must be aware of own risk during rescue.

4.1. Description of first aid measures

Inhalation Move affected person into fresh air and keep warm. If breathing is difficult, give oxygen. Get

medical attention if any discomfort continues.

Skin contact Remove contaminated clothing. Wash with soap and water. Get medical attention if irritation

persists after washing.

Immediately flush with plenty of water for at least 15 minutes. Make sure to remove any contact Eye contact

lenses from the eyes before rinsing. Get medical attention immediately.

Immediately rinse mouth and drink plenty of water. Never give anything by mouth to an Ingestion

unconscious person. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and

delaved

Corrosive effects. Prolonged or repeated skin contact may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. The effects might be delayed.

Extinguish with foam, carbon dioxide or dry powder.

SECTION 5: Firefighting measures

General fire hazards The product is not flammable.

5.1. Extinguishing media

media

Unsuitable extinguishing Do not use water or halogenated extinguishing media.

media

5.2. Special hazards arising from the substance or mixture

Suitable extinguishing

Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.

AFJ GREASE SDS UK 5.3. Advice for firefighters

Special protective equipment for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus, operated in positive pressure mode and full

protective clothing must be worn in case of fire.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

Containers close to fire should be removed or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face

protection. In case of spills, beware of slippery floors and surfaces.

For emergency responders

Keep unnecessary personnel away.

6.2. Environmental precautions

Do not contaminate water. Contact local authorities in case of spillage to drain/aquatic

environment.

6.3. Methods and material for containment and cleaning up Absorb spillage with non-combustible, absorbent material. Clean contaminated area with

oil-removing material.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Wear appropriate personal protective equipment. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Keep container in a well-ventilated place. Store away from incompatible materials.

Industrial lubricating grease.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	
Molybdenum, bis (dibutylcarbamodithioato) di-mu-oxodioxodi-, sulfurized	STEL	20 mg/m3	
	TWA	10 mg/m3	
Molybdenum, bis (ditridecylcarbamodithioato) di-mu-oxodioxo-di-, sulfurized	STEL	20 mg/m3	
	TWA	10 mg/m3	

No biological exposure limits noted for the ingredient(s). **Biological limit values** Follow the schedule for work place measurements. Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities including soap, skin cleanser and fatty cream.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Keep working clothes separately. Personal **General information**

protective equipment should be chosen according to the CEN standards and in discussion with the

supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

AFJ GREASE SDS UK

Version #: 04 Revision date: 18-September-2019 Issue date: 13-September-2012

- Hand protection

Wear protective gloves. Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement rules are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove manufacturer and model.

- Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with Respiratory protection

combination filter (type A2/P2) can be used.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Contain spills and prevent releases and observe national regulations on emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Paste. Solid. **Physical state Form** Paste. Colour Dark yellow. Odour Slight.

Odour threshold Not available. Not applicable. 185 °C (365 °F) Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point

210.0 °C (410.0 °F) Setaflash

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Vapour pressure Vapour density Not available.

Relative density 0.87

Insoluble in water. Solubility(ies) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available **Decomposition temperature** Not available. **Viscosity Explosive properties** Not explosive. Not oxidising. Oxidising properties

No relevant additional information available. 9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity This product may react with strong oxidising agents.

AFJ GREASE SDS UK

Stable at normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Heat, sparks, flames, elevated temperatures.

10.5. Incompatible materials Strong oxidising agents. 10.6. Hazardous Carbon oxides. Metal oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory

system and provoke coughing.

Skin contact Prolonged or frequent contact may cause redness, itching, irritation, eczema/chaps and oil acne.

The harmful effects may increase in used grease.

Causes serious eye damage. Eye contact

Ingestion Ingestion may cause irritation and malaise.

Corrosive effects. Prolonged or repeated skin contact may cause irritation. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity The harmful effects may increase in used grease.

Skin corrosion/irritation May cause skin irritation. Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory sensitisation Due to lack of data the classification is not possible. Due to lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity Due to lack of data the classification is not possible.

Prolonged and repeated contact with used grease may cause serious skin diseases. Carcinogenicity

Due to lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard.

Mixture versus substance

information

The product is a mixture.

Other information No data available.

SECTION 12: Ecological information

The product contains a substance which is harmful to aquatic organisms and which may cause 12.1. Toxicity

long-term adverse effects in the aquatic environment.

12.2. Persistence and

degradability

None known.

12.3. Bioaccumulative potential None known. Not available. Partition coefficient

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil The product is insoluble in water.

The product is insoluble in water and will spread on the water surface. Mobility in general

12.5. Results of PBT and vPvB

assessment

This mixture does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

Not available. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Residual waste

Since emptied containers retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

EU waste code 16 03 05*

AFJ GREASE SDS UK

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

Code

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Zinc bis(dinonylnaphthalenesulphonate) (CAS Proprietary)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Restrictions on use

Not listed.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006 as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic.

AFJ GREASE SDS UK

vPvB: Very Persistent and very Bioaccumulative.

References EU Regulation (EC) 1272/2008 (CLP Regulation) as amended

Information on evaluation The mixture in environmental available. For a superior in the mixture in the mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Training information

Disclaimer

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

H315 Causes skin irritation.

H318 Causes serious eye damage.

 $\ensuremath{\mathsf{H413}}$ May cause long lasting harmful effects to aquatic life.

Follow training instructions when handling this material.

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Copyright © 2019 THK CO., LTD. All rights reserved.

AFJ GREASE SDS UK